






The Intersection of HIV and Substance Use: Enhancing the Care Continuum with Evidence-Based Practices

Training Series: Session 4
September 24, 2025

Copyright © 2025 Health Management Associates, Inc. All rights reserved. The content of this presentation is PROPRIETARY and CONFIDENTIAL to Health Management Associates, Inc. and may be the subject of other intellectual property. It is not to be published or otherwise made available to Health Management Associates, Inc.

UTILIZING ZOOM

- » Ensure your audio is linked to your Zoom participant ID.
 - » If you joined the audio by computer microphone and speaker, then you're all set.
 - » If you joined the audio with a phone and did not enter your unique participant ID then enter #<your participant ID># on your phone now.

Note: Your unique participant ID can be found by clicking on the lower left corner of your Zoom screen where it says, 'Join Audio' and your Participant ID will appear.
- » Ensure you are on MUTE and your camera is ON. On the bottom left corner of your screen, you will see a red line through the microphone



ON MUTE



Microphone ON



Camera OFF



Camera ON

- » Your participation throughout today via chat is appreciated!
 - » Locate the chat box. On the bottom middle of your screen, click on the chat icon. This will open the "Zoom Group Chat" pane on the right side of your screen. You will see messages throughout the webinar on there. When prompted by the presenters, type in your answers or questions there.



© 2025 Health Management Associates, Inc. All Rights Reserved. HEALTH MANAGEMENT ASSOCIATES

2

UTILIZING ZOOM

- » If you would like to enable closed captions during this session, please follow the steps below.
 - » On the Zoom room toolbar, tap the **Captions**  icon.
 - » You may need to tap the **More**  icon first to see the option.
 - » Ensure that the **Show Captions** toggle  is enabled.
- » If you have any issues or questions about this feature, message Gabriel Velazquez in the chat and he can assist you.



© 2025 Health Management Associates, Inc. All Rights Reserved. HEALTH MANAGEMENT ASSOCIATES

3

HOUSEKEEPING

Today is Session 4

Please complete the evaluation for the webinar that will be sent out via email after each session.

You will be receiving a PDF of today's presentation.

This session is being recorded.

Follow-up questions?

Contact Gabriel Velazquez:
gvelazquez@healthmanagement.com

© 2025 Health Management Associates, Inc. All Rights Reserved. HEALTH MANAGEMENT ASSOCIATES

4

ACKNOWLEDGMENTS

We would also like to thank our community partners for their support in developing this curriculum.



© 2023 Health Management Associates, Inc. All Rights Reserved.

HEALTH MANAGEMENT ASSOCIATES

5

LAND ACKNOWLEDGMENT

Every community owes its existence and vitality to generations from around the world who have contributed their hopes, dreams, and energy to making the history that led to this moment. Some were brought here against their will, some were drawn to leave their distant homes in hope of a better life, and some have lived on this land for more generations than can be counted. Truth and acknowledgment are critical to building mutual respect and connection across all barriers of heritage and difference.

We begin this effort to acknowledge what is buried by honoring the truth. We are standing on the ancestral lands of the Dakota people. **We want to acknowledge the Dakota, the Ojibwe (pronounced ow-jeeb-way), the Ho Chunk, and the other nations of people who also call this place home.** We pay respects to their elders past and present.

Please take a moment to consider the treaties made by the Tribal nations that entitle non-Native people to live and work on traditional Native lands. Consider the many legacies of violence, displacement, migration, and settlement that bring us together here today. Please join us in uncovering such truths at any and all public events.*

*This is the acknowledgment given in the USDAC Honor Native Land Guide – edited to reflect this space by Shannon Geshick, MTAG, Executive Director Minnesota Indian Affairs Council

© 2023 Health Management Associates, Inc. All Rights Reserved.

HEALTH MANAGEMENT ASSOCIATES

TODAY'S PRESENTERS



Charles Robbins, MBA
(he/him/his)

Principal
Health Management
Associates



Akiba Daniels, MPH
(she/her/hers)

Senior Consultant
Health Management
Associates



Helen DuPlessis, MD, MPH
(she/her/hers)

Principal
Health Management
Associates



Rob Muschler, MPA
(he/him/his)

Senior Consultant
Health Management
Associates

© 2023 Health Management Associates, Inc. All Rights Reserved.

DISCLOSURES

Faculty	Nature of Commercial Interest
Charles Robbins, MBA	Mr. Robbins discloses that he is an employee of Health Management Associates, a national research and consulting firm providing technical assistance to a diverse group of health care clients.
Akiba Daniels, MPH	Ms. Daniels discloses that she is an employee of Health Management Associates, a national research and consulting firm providing technical assistance to a diverse group of health care clients.
Helen DuPlessis, MD, MPH	Dr. DuPlessis discloses that she is an employee of Health Management Associates, a national research and consulting firm providing technical assistance to a diverse group of health care clients. She is also a Board Member of Blue Shield of California Health Plan.
Rob Muschler, MPA	Mr. Muschler discloses that he is an employee of Health Management Associates, a national research and consulting firm providing technical assistance to a diverse group of health care clients.

© 2023 Health Management Associates, Inc. All Rights Reserved.

8

AGENDA FOR WEBINAR SERIES

Session	Topics
#1 WEDNESDAY, SEPTEMBER 3 12:00 pm to 3:00 pm	☐ Understanding HIV ☐ HIV Testing, Treatment and Prevention ☐ The Science of Addiction ☐ Screening and Assessment
#2 WEDNESDAY, SEPTEMBER 10 12:00 pm to 3:00 pm	☐ Ethical and Legal Issues ☐ Funding and Policy Considerations ☐ HIV Risk Reduction ☐ SUD Harm Reduction ☐ HIV and Stigma ☐ Motivational Interviewing
#3 WEDNESDAY, SEPTEMBER 17 12:00 pm to 3:00 pm	☐ Working with Justice Involved Persons ☐ Substance Use Disorder Treatment with Medications ☐ Mental Health Treatment and Counseling ☐ Stimulant Use ☐ Chem Sex
#4 WEDNESDAY, SEPTEMBER 24 12:00 pm to 3:00 pm	☐ Cultural, Racial and Sexual Identities ☐ Pregnancy and HIV, SUD/OD ☐ Accessing, Obtaining, and Integrating Services for Individuals with HIV and SUD in Minnesota

© 2025 Health Management Associates, Inc. All Rights Reserved.

HEALTH MANAGEMENT ASSOCIATES

9

CHATTER FALL

Please respond to following prompt by typing into the chat box

Please share a curiosity you bring with you today regarding the topics we are covering

- » Cultural, Racial and Sexual Identities
- » Pregnancy and HIV, SUD/OD
- » Accessing, Obtaining, and Integrating Services for Individuals with HIV and SUD in Minnesota

**Type your response and
don't click enter.**

© 2025 Health Management Associates, Inc. All Rights Reserved.

HEALTH MANAGEMENT ASSOCIATES

10

CONTEXT FOR SESSION 4

Previous Sessions

- » HIV – Transmission, Testing, Treatment, Harm Reduction & Prevention
 - » Key to ending HIV is to diagnosis, treat, prevent, respond
- » Ethical and Legal Issues surrounding HIV and SUD
- » Stigma Abatement and Motivational Interviewing
- » SUD/OD – Neuroscience, Substance Use Disorder Treatment with Medications, Stimulant Use, Chem Sex, Risk Reduction

Today's Session

- » Populations most impacted and resources for you

DISPARITIES EXIST AMONG INDIVIDUALS AT RISK OF AND LIVING WITH HIV AS WELL AS INDIVIDUALS WHO HAVE A SUBSTANCE USE DISORDER

© 2025 Health Management Associates, Inc. All Rights Reserved.

HEALTH MANAGEMENT ASSOCIATES

11

CULTURAL, RACIAL, AND SEXUAL IDENTITIES

LEARNING OBJECTIVES: CULTURAL, RACIAL, AND SEXUAL IDENTITIES



© 2023 Health Management Associates, Inc. All Rights Reserved.

HEALTH MANAGEMENT ASSOCIATES

13

HEALTH DISPARITIES IN HIV

- » Despite prevention efforts, some groups of people are affected by HIV, viral hepatitis, STIs, and TB more than other groups of people
- » The occurrence of these diseases at greater levels among certain population groups more than among others is often referred to as a **health disparity**
- » Social determinants of health like poverty, unequal access to health care, lack of education, stigma, and racism are linked to health disparities
- » Differences may occur by:
 - » gender
 - » race or ethnicity
 - » education
 - » income
 - » disability
 - » geographic location
 - » sexual orientation


© 2023 Health Management Associates, Inc. All Rights Reserved.

HEALTH MANAGEMENT ASSOCIATES

14

HIV EPIDEMIOLOGY BY SEX ASSIGNED AT BIRTH

People Living with HIV/AIDS in Minnesota by Sex Assigned at Birth and Race/Ethnicity, 2023



© 2023 Health Management Associates, Inc. All Rights Reserved.


HEALTH MANAGEMENT ASSOCIATES

Data: HIV/AIDS Prevalence and Mortality Report 2023 Tables

15

HIV EPIDEMIOLOGY BY GENDER IDENTITY

People Living with HIV/AIDS in Minnesota by Gender Identity** and Race/Ethnicity, 2023



© 2023 Health Management Associates, Inc. All Rights Reserved.

HEALTH MANAGEMENT ASSOCIATES


Data: HIV/AIDS Prevalence and Mortality Report 2023 Tables

16


HIV INCIDENCE IN MINNESOTA BY RACE / ETHNICITY

HIV Diagnoses* in Year 2023 and General Population in Minnesota by Race/Ethnicity

HIV Diagnoses (n=324)



Population (n=5,717,184)




■ White
■ Black, African-born
■ Other
■ Black, non African-born
■ Asian/Pacific Islander
■ Hispanic

HEALTH MANAGEMENT ASSOCIATES

17

HIV INCIDENCE IN MINNESOTA BY SEX ASSIGNED AT BIRTH

HIV at HIV Diagnosis* in Year 2023 by Sex Assigned at Birth




>> In 2023, there were 131 cases diagnosed under the age of 30, accounting for 40% of all cases. 119 (90%) of these were in people assigned male sex at birth. Age groups 25-29 and 30-34 had the largest number of new cases in 2023.

HEALTH MANAGEMENT ASSOCIATES

18

PERSONS LIVING WITH HCV IN MN BY RACE PER 100,000 (2023)



*Rates calculated using 2020 U.S. Census ACS data. Excludes persons with multiple races or unknown race, n=10,234.


© 2023 Health Management Associates, Inc. All Rights Reserved.

HEALTH MANAGEMENT ASSOCIATES

19

OVERDOSE RATES BY RACE

>> In 2021, American Indian Minnesotans were ten times as likely to die from a drug overdose than white Minnesotans. Black Minnesotans were more than three times as likely to die from drug overdose than white Minnesotans.



© 2023 Health Management Associates, Inc. All Rights Reserved.

HEALTH MANAGEMENT ASSOCIATES

20

SEXUAL AND GENDER MINORITIES

Sexual and gender minority (SGM) populations include, but are not limited to, individuals who identify as lesbian, gay, bisexual, asexual, transgender, Two-Spirit, queer, and/or intersex. Individuals with same-sex or -gender attractions or behaviors and those with a difference in sex development are also included.

© 2023 Health Management Associates, Inc. All Rights Reserved.
HEALTH MANAGEMENT ASSOCIATES
21


INTERSECTIONALITY

- » Compounded inequities experienced by individuals and populations who belong to two or more marginalized identities
- » Impacted by systemic inequities in multiple dimensions
- » Example: Black transgender women are impacted by racism, transphobia, and sexism.


Photo Source : Leo Kwan on Unsplash
© 2023 Health Management Associates, Inc. All Rights Reserved.
HEALTH MANAGEMENT ASSOCIATES
22

SEXUAL AND GENDER MINORITIES AND SUBSTANCE USE

- » Compared to a heterosexual population, sexual and gender minorities:
 - » Enter treatment with more severe SUD (i.e., persistent)
 - » Have higher rates of co-occurring mental health disorders including mood disorders, self-harm behaviors (e.g., cutting), suicidality
 - » Have a greater risk of HIV infection (men, women and nonbinary)
 - » There are far more intervention programs designed and evaluated specifically for White Gay men than there are for other sexual or gender minorities


© 2023 Health Management Associates, Inc. All Rights Reserved.

SUBSTANCE USE DISORDER BY SEXUAL MINORITY



According to SAMHSA, the LGBTQ+ people are more likely to use substance than heterosexual counterparts

<https://www.samhsa.gov/data/sites/default/files/reports/rpt53159/2023-niduh-pop-slides-lbgplus.pdf>
24

HIV EPIDEMIOLOGY BY ETHNICITY AND GENDER IDENTITY

Racial and ethnic disparities exist among transgender women with HIV.



Among transgender women interviewed, 42% had HIV.




© 2023 Health Management Associates, Inc. All Rights Reserved.

HEALTH MANAGEMENT ASSOCIATES

25

HIV diagnoses in the US and 6 territories and freely associated states by race and ethnicity, 2022*



* Among people aged 13 and older.
¹ Black refers to people having origins in any of the Black racial groups of Africa. African American is a term often used for people of African descent with ancestry in North America.
² Hispanic/Latino people can be of any race.
 Source: CDC. Diagnoses, deaths, and prevalence of HIV in the United States and 6 territories and freely associated states, 2022. HIV Surveillance Report, 2023S.

HIV DIAGNOSIS BY RACE

In 2022 37,981 (13- year-old or older) received a diagnosis of HIV in the US and 6 territories

CDC (2024) HIV Surveillance Report: Diagnoses, Deaths, and Prevalence of HIV in the United States and 6 Territories and Freely Associated States, 2022

TRANSGENDER PERSONS AND SUBSTANCE USE

- » Trans persons are at elevated risk for developing problems with substance use
 - » Up to 72% develop problems with alcohol use
 - » Up to 34% develop problems with marijuana use
 - » Up to 26% develop problems with prescription drug use
- » Both trans Women and people who engage in anal sex are at increased risk for HIV
 - » Risky sexual behaviors and prevalence of IV drug use are often a consequence of risk and behavior stressors (violence victimization, transphobia, exchange sex, stigmatization, and stressful life events)
 - » Remember that SUD treatment is associated with managing drug use and facilitating safer sex practices!

© 2023 Health Management Associates, Inc. All Rights Reserved.

HEALTH MANAGEMENT ASSOCIATES

27

TRANSGENDER PERSONS AND SUBSTANCE USE: THEORETICAL MODELS

- » The **Minority Stress Model** (Hendricks and Testa, 2012) – poses that prolonged exposure to prejudice and discrimination → adverse mental health outcomes and risk behaviors
- » The **Syndemic or Multiplicative Model** – risk for a significant adverse outcome (e.g., HIV infection) is a function of multiple, co-occurring problems that multiply to increase the risk
 - » We know that risky sexual behaviors can be exacerbated by substance use
 - » This multiplier effect argues for a focus on the most effective ways of intervening in SUD as a vehicle for reducing HIV incidence

“Perhaps the most important conclusion of this review is that well-designed, theoretically informed culturally sensitive research focused on developing and rigorously testing interventions for substance use among transgender individuals is alarmingly scarce.” – T.R. Glynn, 2017

© 2023 Health Management Associates, Inc. All Rights Reserved.

HEALTH MANAGEMENT ASSOCIATES

28

BARRIERS TO SUD TREATMENT FOR TRANSGENDER PERSONS

- » Lack of knowledge among personnel in SUD treatment about Trans-specific realities and experiences
- » SUD treatment providers who stigmatize or have negative attitudes toward Trans persons
- » Victimization of Trans individuals (e.g., verbal, physical, and sexual abuse by other clients and staff),
- » Discrimination (e.g., room & board, bathroom rules, being required to wear clothes judged as appropriate for their sex assigned at birth)
- » Little formal/organized education for staff about the needs of Trans persons
- » **False reporting of specialized treatment services for Trans population**
 - » Most programs fail to even collect information on gender identity

© 2020 Health Management Associates, Inc. All Rights Reserved.

HEALTH MANAGEMENT ASSOCIATES

29

CHATTER FALL

Please take a minute to type your response in the Zoom Group Chat, but don't click enter.

What strategies do you have in place or are you considering to meet the SUD treatment needs of Trans women?

**When instructed, please
click enter.**

© 2020 Health Management Associates, Inc. All Rights Reserved.

HEALTH MANAGEMENT ASSOCIATES

30

ADDRESSING THE TREATMENT NEEDS OF TRANSGENDER PERSONS WITH SUD

"Trans individuals (especially women) who feel they are in Trans-friendly programs are more likely to stay in treatment" — Lyons, et al. 2017

- » Provide education and training programs for staff on the Trans-specific realities, experience and sensitivity (including health-related issues such as street hormones and needle use)
- » Prevent discrimination and stigmatizing behaviors by healthcare providers
- » Develop policies that address discrimination, bathrooms, sleeping arrangements, conduct in treatment and other group settings, collection of gender-identity data, name and pronouns – many of these should be posted
- » For programs that are not trans-specialized, work to develop and model a culture that is affirming, inclusive, psychologically safe
- » Hiring diverse staff representative of the population
- » Allow continued use of hormones and encourage medical care for those using street hormones
- » Be transparent about the degree of your programs' services for Trans persons

© 2020 Health Management Associates, Inc. All Rights Reserved.

HEALTH MANAGEMENT ASSOCIATES

31

CULTURAL CONSIDERATIONS

HEALTH AND STRUCTURAL INEQUITIES

Health inequities

systematic differences in the health status of different population groups

Structural inequities

personal, interpersonal, institutional, and systemic drivers—such as, racism, sexism, classism, able-ism, xenophobia, and homophobia

© 2020 Health Management Associates, Inc. All Rights Reserved.
HEALTH MANAGEMENT ASSOCIATES

33

THE CONNECTION

- » The impact of structural inequities follows individuals “from womb to tomb.”
 - » Socioeconomic factors that contribute to poor health
 - » Social stigma
 - » Mistrust of the healthcare institution
- » HIV has had a disproportionate impact on minority communities, and studies have documented a pattern of disparities in care for minorities
- » This makes the issue of treatment of minorities with HIV a particularly timely and pressing one

© 2020 Health Management Associates, Inc. All Rights Reserved.
HEALTH MANAGEMENT ASSOCIATES

34

CULTURAL CONSIDERATIONS

How do cultural considerations influence treatment engagement?

“An approach to care that uses a cultural competence framework enhances communication between minority patients and their providers, endeavors to use a more diverse array of staff members, proactively enhances the likelihood of receipt of ART, and uses an evidence-based approach to thinking about adherence will improve the likelihood that minority patients will engage in care, be satisfied with care, and have positive HIV-related outcomes”.

© 2020 Health Management Associates, Inc. All Rights Reserved.
HEALTH MANAGEMENT ASSOCIATES

35

CULTURAL CONSIDERATIONS: PROVIDE CULTURALLY HUMBLE HIV CARE

- » Clinicians must be aware of the particular health-related cultural beliefs and practices of the minority groups within his or her HIV/AIDS practice
- » Adopt a culturally humble framework
 - » Identify the patient's core cultural issues
 - » Explore the meaning of the illness to the patient – question what they think has caused the problem and how it affects their lives
 - » Explore the patient's social context
 - » Negotiate across the patient-physician culture to develop a treatment plan that is agreeable to both sides (ensure the key issues of the patient are heard and valued)

© 2020 Health Management Associates, Inc. All Rights Reserved.
HEALTH MANAGEMENT ASSOCIATES

36

CULTURAL CONSIDERATIONS: ENHANCING COMMUNICATION IN CLINICAL CARE

- » Research shows that minority patients are less satisfied with their HIV/AIDS care than are other patients
- » Although many issues may contribute to this lower satisfaction, one issue that comes up repeatedly is **patient-provider communication**
- » Minority patients report that they needed more time to make HIV treatment decisions and more information about HIV treatment options
- » Providers should endeavor to spend more time with our minority patients with HIV, and should spend more of that time listening to the patient

© 2023 Health Management Associates, Inc. All Rights Reserved.

HEALTH MANAGEMENT ASSOCIATES

37



CULTURAL CONSIDERATIONS: DIVERSIFY THE CLINICAL STAFF

- » Important to diversify HIV clinical staff
- » Very few HIV physicians are racial/ethnic minorities
- » No matter how welcoming an HIV care site is, minority patients will feel even more comfortable if at least a few clinical or peer support staff members are of their own racial/ethnic background

Photo Sources: Milad Fakurian and Maybox on Unsplash

© 2023 Health Management Associates, Inc. All Rights Reserved.

HEALTH MANAGEMENT ASSOCIATES

38

CULTURAL CONSIDERATIONS: OPTIMIZING THE RECEIPT OF CARE AND ART

- » Minority patients have reported more problems getting the HIV care they needed and have been less likely to receive medications to treat HIV
- » Disparities in receiving ART have persisted
- » Medical providers should be aware of the data regarding disparities in the receipt of ART
- » Should use strategies in the clinical setting to optimize the likelihood that minority patients will be **offered, prescribed, and actually take** antiretroviral medications.

© 2023 Health Management Associates, Inc. All Rights Reserved.

HEALTH MANAGEMENT ASSOCIATES

39



CULTURAL CONSIDERATIONS: ENHANCE ADHERENCE TO TREATMENT

- » Stereotypes among HIV care providers that minority patients were less likely to be adherent to ART than were other patients
- » Because of this, ART was, at times, withheld from minority patients because of these preconceptions regarding their ability to adhere to it
- » Need to eliminate bias (these biases and stereotypes affect providers' treatment decisions and result in failure to treat some minority patients)

Photo Sources: Branimir Balogović on Unsplash

© 2023 Health Management Associates, Inc. All Rights Reserved.

HEALTH MANAGEMENT ASSOCIATES

40

CULTURAL CONSIDERATIONS: MINORITY PATIENTS WITH HIV AND CLINICAL TRIALS

- » Minority patients have historically been underrepresented in HIV-related clinical trials, despite their overrepresentation among those living with HIV infection
- » Legacy of abuses in past research studies, distrust of the health care system broadly, and beliefs regarding conspiracies continue to fuel the HIV epidemic in minority communities
- » There is no easy answer to engaging minorities in clinical trials
- » Providers can make efforts to proactively approach all patients about participation in clinical trials and answer their questions/ address any concerns they may have

TIME FOR A POLL

Which cultural consideration will you commit to implementing in your practice and work to influence treatment engagement?

- A. Provide culturally humble HIV care
- B. Enhancing communication in clinical care
- C. Diversify the clinical staff
- D. Optimizing the receipt of care and ART
- E. Enhance adherence to treatment
- F. Engage Minority patients with HIV in clinical trials

TRAUMA INFORMED CARE

TRAUMA INFORMED CONSIDERATIONS TO ENHANCE CARE AND SUPPORT

Trauma-Informed Care Concepts

1. A basic understanding of trauma
2. Emotional and environmental safety
3. A strengths-based approach to services

THINGS TO REMEMBER

Underlying Question

- What happened to you?

Symptoms

- Response to experience & events


Healing Happens

- Importance of relationships

© 2020 Health Management Associates, Inc. All Rights Reserved.

HEALTH MANAGEMENT ASSOCIATES

EMPATHY


<https://youtu.be/1Evwgu369Jw>


"The sufferings of childhood can shape, and misshape, the life of an adult"
 (God Help the Child, Toni Morrison, 2014)

47

WHAT IS TRAUMA?

"Individual trauma results from an event, series of events, or set of circumstances that is experienced by an individual as physically or emotionally harmful or life threatening and that has lasting adverse effects on the individual's functioning and mental, physical, social, emotional, or spiritual well-being."

<https://www.integration.samhsa.gov/clinical-practice>

© 2020 Health Management Associates, Inc. All Rights Reserved.

STATED IN ANOTHER WAY (SIMPLE VERSION)




“Trauma is anything that overwhelms a person’s ability to cope”

This Photo by Unknown Author is licensed under CC BY


© 2023 Health Management Associates, Inc. All Rights Reserved

PEOPLE WHO HAVE EXPERIENCED TRAUMA ARE:



PEOPLE WHO HAVE EXPERIENCED TRAUMA ARE

- » 2.5 times smoke tobacco
- » 3 times be absent from work
- » 3 times have serious job problems
- » 3 times experience depression
- » 3 times take antidepressant medication
- » 4 times more likely to have alcohol use disorder
- » 4 times more likely to inject drugs
- » 4 times more likely to have a sexually transmitted disease
- » 15 times more likely to die by suicide



© 2023 Health Management Associates, Inc. All Rights Reserved

51

SPECTRUM OF TRAUMA – CONTEXT



© 2023 Health Management Associates, Inc. All Rights Reserved

CHALLENGES OF WORKING WITH PEOPLE WITH TRAUMA EXPERIENCES

- Stigma and implicit bias
- Prevention vs complex care
- Lack of Staff and Provider of training
- Chronicity
- Presence of mental health issues
- Co-morbid health conditions
- High need populations-takes time and people

© 2020 Health Management Associates, Inc. All Rights Reserved.

KEY PRINCIPLES



© 2020 Health Management Associates, Inc. All Rights Reserved.

Image Source: https://www.cdc.gov/orr/infographics/6_principles_trauma_info.htm

KEY PRINCIPLES: SAFETY

1) Safety



1. SAFETY


- Staff and the people they serve, whether children or adults, feel physically and psychologically safe
- The physical setting is safe and the interpersonal interactions promote a sense of safety.
- Understanding safety *as defined by those served* is a high priority.

© 2020 Health Management Associates, Inc. All Rights Reserved.

HEALTH MANAGEMENT ASSOCIATES

KEY PRINCIPLES: TRUSTWORTHINESS AND TRANSPARENCY

2) Trustworthiness and Transparency



2. TRUSTWORTHINESS & TRANSPARENCY

- Organizational operations and decisions are conducted with transparency with the goal of maintaining trust with clients and family members, among staff, and others involved in the organization.

© 2020 Health Management Associates, Inc. All Rights Reserved.

HEALTH MANAGEMENT ASSOCIATES

KEY PRINCIPLES: PEER SUPPORT

3) Peer Support

- Trauma survivors or family of a child trauma survivor.
- Peer support and mutual self-help are key vehicles for establishing safety and hope, building trust, enhancing collaboration
- Utilize their stories and lived experience to promote recovery and healing

© 2020 Health Management Associates, Inc. All Rights Reserved.

HEALTH MANAGEMENT ASSOCIATES

KEY PRINCIPLES: COLLABORATION AND MUTUALITY

4) Collaboration and Mutuality

Importance placed on:

- Partnering
- Leveling of power differences
 - Staff and clients
 - Organizational staff and clerical/housekeeping
 - Professional staff to administrators
- Recognize that everyone has a role to play in TIC
- One does not need to be a therapist to be therapeutic

© 2020 Health Management Associates, Inc. All Rights Reserved.

HEALTH MANAGEMENT ASSOCIATES

KEY PRINCIPLES:
EMPOWERMENT, VOICE AND CHOICE**5) Empowerment, Voice, and Choice**

- Strengths/Experience recognized and built upon
- Organization fosters a belief in:
 - The primacy of people served
 - Resilience
 - The ability of individuals, orgs, and communities to heal and promote recovery from trauma
- Shared decision-making, choice, and goal-setting
- Cultivate self-advocacy
- Staff feel as safe as those receiving services

© 2020 Health Management Associates, Inc. All Rights Reserved.

HEALTH MANAGEMENT ASSOCIATES

KEY PRINCIPLES:
CULTURAL, HISTORICAL, AND GENDER ISSUES**6) Cultural, Historical, and Gender Issues**

- Moves past stereotypes and biases (race, ethnicity, sexual orientation, age, religion, gender identity, geography, etc.)
- Offers access to gender-responsive services
- Leverages the healing value of traditions cultural connections
- Incorporates policies, protocols, and processes that are responsive to the needs of individuals served
 - Racial
 - Ethnic
 - Cultural
 - Disability
- Recognizes and addresses historical trauma

© 2020 Health Management Associates, Inc. All Rights Reserved.

HEALTH MANAGEMENT ASSOCIATES

RESILIENCY

Resiliency is how well we cope with adversity and stress. We can build or lose resiliency throughout our lives.

PATHWAYS TO RESILIENCE

Resilience is the ability to bounce back from setbacks in our lives. It is the way we can prevent stress from causing serious physical, mental and emotional issues. Practicing positive and often simple activities can actually **retrain our brain to be more resilient!**

FOR CHILDREN	FOR EVERYONE	FOR ADULTS
Positive Role Models	Supportive Relationships	Walk in the Woods
Supportive Adults	Healthy Food	Gratitude
Parental Involvement	Exercise	Positive Thoughts
Caring Community	Smile	Laugh
Increased Parent-Infant Contact	Talk About Feelings	Hope
Increased Knowledge of Child Development	Music	Volunteer
	Art	
		Acknowledge Trauma
		Seek Support
		Identify Emotional Triggers
		Mental Health and Substance Abuse Treatment
		Create Safe and Stable Nurturing Relationships

©2020 Health Management Associates, Inc. All Rights Reserved.
HEALTH MANAGEMENT ASSOCIATES
61

GROUP DISCUSSION

Now that you have a better understanding of cultural and trauma informed considerations, what can we do as service providers to enhance care for racial and sexual minorities?



Please raise your hand if you'd like to share.

©2020 Health Management Associates, Inc. All Rights Reserved.
HEALTH MANAGEMENT ASSOCIATES
62

5-MINUTE STRETCH BREAK!



HIV, PREGNANCY AND SUD/OD

*Throughout this presentation the terms mother or maternal or she or her are used in reference to the birthing person. We recognize not all birthing persons identify as mothers or women. We believe all birthing people are equally deserving of gender-specific care that helps them attain their full potential and live authentic, healthy lives.

©2020 Health Management Associates, Inc. All Rights Reserved.
HEALTH MANAGEMENT ASSOCIATES
64

LEARNING OBJECTIVES: HIV, PREGNANCY AND SUD/OD

Summarize at least 3 major considerations (important headlines) for HIV+ pregnant persons with SUD

List 3 approaches to reduce the risk of HIV transmission from a birthing person to an infant during pregnancy, breastfeeding

Compare the effectiveness of and considerations for using substance use disorder treatment with medications and other treatments for SUD in pregnant and parenting persons

© 2023 Health Management Associates, Inc. All Rights Reserved.

HEALTH MANAGEMENT ASSOCIATES

65

CHATTER FALL

Please take a minute to type your response in the Zoom Group Chat, but don't click enter.

What information do you need to better prepare you to care for pregnant/parenting persons with OUD, SUD, HIV and their affected children?

When instructed, please click enter.

© 2023 Health Management Associates, Inc. All Rights Reserved.

HEALTH MANAGEMENT ASSOCIATES

66

EPIDEMIOLOGY OF SUD DURING PREGNANCY



- » SAMHSA data: > 400,000 infants are exposed to alcohol and other potential substance of abuse during pregnancy in the US each year
- » Number of pregnant women with OUD increased from 1.5/1000 → 8.2/1000 live births (1999-2017)
- » In MN the prevalence of Neonatal Abstinence Syndrome (NAS) was 10.3/1000 live births (7.3/1000 in US)
- » Twenty-seven (27%) percent reported they wanted to cut down or stop using but didn't know how
- » Eight percent (8%) of women with OUD/SUD receive needed treatment (most are never screened)


Sources: SAMHSA and National Survey on Drug Use and Health, 2022

© 2023 Health Management Associates, Inc. All Rights Reserved.

HEALTH MANAGEMENT ASSOCIATES

67

EPIDEMIOLOGY OF HIV DURING PREGNANCY IN THE UNITED STATES



- » Approximately 8,000 HIV+ women give birth in the US every year and fewer than 50 infants are born with HIV
- » Transmission of HIV can occur throughout pregnancy, during childbirth and with breastfeeding (Perinatal Maternal to Child Transmission – PMTCT)
- » While the US and Europe have experienced steep declines in perinatal HIV transmission (to <1%), African American infants have 5X the incidence of perinatal HIV transmission versus white infants
- » In MN the incidence of HIV infected neonates has been ZERO since 2018
- » Approaches to PMTCT prevention vs. treatment vary across the globe

© 2023 Health Management Associates, Inc. All Rights Reserved.

HEALTH MANAGEMENT ASSOCIATES

68

POTENTIAL EFFECTS OF PERINATAL HIV AND SUD ON THE BIRTHING PERSON AND BABY



CASE: KAYLA

Kayla is 23-year-old HIV+ woman with a positive pregnancy test during a primary care visit for persistent nausea. Upon examination, Kayla is found to be 11 weeks pregnant. She states the pregnancy was not expected but she wants to keep the child. **In response to questions from an evidence-based verbal screening tool**, she indicated that she takes both oxycodone and hydrocodone for persistent back pain that resulted from a car accident when she was 19. She is still complaining of back pain and is worried that as the pregnancy goes on, her back pain will worsen. Kayla is **mostly compliant with her ART**, but occasionally skips her specialty follow-up visits. She acknowledges that she takes more than the prescribed amounts of opioids. Although concerned her pain may exacerbate during pregnancy, **she would like assistance with her opioid misuse and is concerned about the risk of HIV transmission to her infant.**



HEALTH MANAGEMENT ASSOCIATES

70

HIV POSITIVE PREGNANCIES: WHERE HAVE WE BEEN?

- » By 1987 the approval for AZT (zidovudine) enabled the treatment and prophylaxis of pregnant women with HIV in the US and globally*
- » By the 1990s, short course ART or single dose AZT was available across the globe
- » We witnessed Perinatal Maternal to Child Transmission (PMTCT) rate decrease from 25% to less than one percent (<1%) in the US and other high-income countries



SOURCE: free.unaids.org


© 2023 Health Management Associates, Inc. All Rights Reserved

HEALTH MANAGEMENT ASSOCIATES

71

PERINATAL HIV INFECTIONS IN THE US AND DEPENDENT AREAS BY RACE/ETHNICITY, 2019

New perinatal HIV diagnoses disproportionately affect certain racial and ethnic groups.



Source: CDC HIV Surveillance Report, 2021/32

© 2023 Health Management Associates, Inc. All Rights Reserved

HEALTH MANAGEMENT ASSOCIATES

72

WHERE HAVE WE FAILED IN ADDRESSING PERINATAL HIV/AIDS IN THE US?

- » Overall, the number of infants and young children infected from perinatal transmission continues to decline: from 141 cases in 2014 to 51 cases in 2019 (and has been ZERO in MN for the past few years)
- » In the United States, the overwhelming majority of new cases of HIV in children occurs among Black/African American Children
 - » The racial/ethnic disparity of HIV diagnosed children under 13 years is greater than for adults (60% of children are Black/African American vs 57% of adults)


Source: CDC HIV Surveillance Report, 2021,32

© 2023 Health Management Associates, Inc. All Rights Reserved.

HEALTH MANAGEMENT ASSOCIATES

73

NEW HIV INFECTIONS AMONG CHILDREN AND ART COVERAGE AMONG PREGNANT WOMEN WORLDWIDE



SOURCE: UNAIDS Epidemiologic Estimates 2023. aidsinfo@usaids.org

© 2023 Health Management Associates, Inc. All Rights Reserved.

HEALTH MANAGEMENT ASSOCIATES

74

WHERE HAVE WE FAILED IN ADDRESSING PERINATAL HIV/AIDS ACROSS THE GLOBE?

- » The World Health Organization (WHO) and other Global HIV/AIDS guidelines have focused for decades on the prevention of PMTCT – some would say to the exclusion of treatment
- » The PMTCT cascade of tests and treatment are managed in the US and high and middle-income countries, but in low to middle-income countries, the necessary systems are immature to non-existent
- » Integrating PMTCT and Maternal-Neonatal-Child Health programs and simplification for WHO guidelines has improved timely initiation of ART, but post-partum engagement of HIV infected/exposed mothers and infants is still problematic



Photo Source: Microsoft Stock Photos

© 2023 Health Management Associates, Inc. All Rights Reserved.


HEALTH MANAGEMENT ASSOCIATES

75

IMPORTANT FACTS TO KNOW ABOUT HIV POSITIVITY DURING PREGNANCY AND PERINATAL TRANSMISSION

HIV infection can be:

- » Passed vertically from mom to fetus during pregnancy
- » Spread through contact with blood and bodily fluids during childbirth
- » Passed through breastmilk
- » Routine HIV screening of all sexually active persons with childbearing potential should occur as early as possible during pregnancy (opt-out)
- » Because of disparities in access to screening, prevention and treatment, we should ensure that individuals from other countries receive information during pre-conception counseling and offered screening and treatment



© 2023 Health Management Associates, Inc. All Rights Reserved.

HEALTH MANAGEMENT ASSOCIATES

76

CONSIDERATIONS WHEN PREGNANCY, HIV, AND SUD COEXIST

- » Some substances are more detrimental to those at risk for or who have HIV than others
 - » Stimulants have been associated not only with increased risky behavior, but with accelerated HIV disease progression, poor ART adherence and lack of viral suppression
 - » Alcohol, benzodiazepine and opioid use all increase risky behaviors associated with HIV; cannabis does not appear to have the same significant effect
- » Screening for SUD should be part of routine clinical care of persons with HIV

SOURCE: Ross EJ et al. Overamped: Stimulant Use and HIV Pathogenesis. Curr HIV/AIDS Rep. 2023 Dec;20(6):321-332

© 2023 Health Management Associates, Inc. All Rights Reserved.

HEALTH MANAGEMENT ASSOCIATES

77

CONSIDERATIONS WHEN PREGNANCY, HIV AND SUD COEXIST (CONT.)



Recommendations for the Use of Antiretroviral Drugs in Pregnant Women with HIV Infection and Interventions to Reduce Perinatal HIV Transmission in the United States

- » Individuals on substance use disorder treatment with medications are more likely to initiate and maintain ART regimens
- » Ongoing SUD is NOT a contraindication to prescribing/using ART
 - » Use of low risk, easy ART regimens are preferred
- » ART agents that inhibit or induce the CYP system (liver enzymes) may interact with methadone and buprenorphine (no such interaction with naltrexone)
- » PrEP should always be used for high-risk encounters including during pregnancy and breastfeeding for HIV negative persons

© 2023 Health Management Associates, Inc. All Rights Reserved.

HEALTH MANAGEMENT ASSOCIATES

78

PERINATAL SUD



CHATTER FALL

Please take a minute to type your response in the Zoom Group Chat, but don't click enter.

Medications for Opioid Use Disorder (MOUD) generally should..

- A. Be increased during pregnancy
- B. Be decreased during pregnancy
- C. Not be used during pregnancy

When instructed, please click enter.

© 2023 Health Management Associates, Inc. All Rights Reserved.

HEALTH MANAGEMENT ASSOCIATES

80

MEDICATION FOR OPIOID USE DISORDER IS STANDARD OF CARE IN PREGNANT PERSONS WITH SUD				
Treatment	Overdose Deaths	Retention in Treatment	Pregnancy Outcomes	Neonatal Abstinence Syndrome (NAS)
Detoxification/Withdrawal				
Methadone				
Buprenorphine (Mono)				
Buprenorphine/Naloxone				
Naltrexone				
	Research indicates use is contraindicated and/or that risks of poor outcome outweigh benefits of use			
	Research is insufficient to conclude that benefits outweigh risks or benefits exceed other meds			
	Research indicates that benefits do outweigh risks or that benefits do exceed those of other meds			

ADDITIONAL CONSEQUENCES OF OPIOID USE DURING PREGNANCY

- » Fetus exposed to unstable opioid levels
- » Mother less likely to get prenatal care
- » Fetus & mother more likely to be exposed to morbidity & mortality from IDU & risky behaviors
 - » HIV, HCV
 - » Endocarditis, cellulitis
 - » Trauma



Photo Source: CDC on Unsplash

BENEFITS OF MOUD USE DURING PREGNANCY

- » Reduced complication of IDU
- » Seventy-five percent (75%) less likely to die related to their addiction
- » Improves adherence to prenatal care & addiction
- » Safer and healthier communities
- » Reduced cravings
- » Reduced illicit opioid use
- » Reduced OD events
- » Reduced criminal behavior
- » Reduced risk of obstetric complications

CASE STUDY: KAYLA'S NEWBORN

- » Baby M was born in February 2019
- » Initially ambivalent, Kayla warmed to the idea of being a mom
- » Mom is HIV+ (adherent on ART) with undetectable viral load 1 week prior to delivery. She has not been adherent with buprenorphine and has continued intermittently using pressed opioid pills and occasional alprazolam
- » Total infant stay was 28 Days
- » Total morphine need was:
 - » 50.6 mg total
 - » 18.7 mg/day
 - » 2.3 mg/dose
- » Infant stayed on 4 different hospital units
- » Kayla felt judged, inadequate and powerless



84

CONSEQUENCES OF PERINATAL SUD

	Preterm Labor	Low Birthweight	Fetal demise	Cognitive or Developmental Effects	Other
Tobacco	X	X	X		Birth defects
Alcohol	X	X		X	Fetal Alcohol Spectrum Disorders (FASD)
Cannabis		X	X	X	Mood/ behavioral disorders
Opioids	X	X		X	Abruption, Neonatal Abstinence Syndrome (NAS)

SOURCE: See consolidation of Perinatal Outcome References at end of this presentation

© 2025 Health Management Associates, Inc. All Rights Reserved.

HEALTH MANAGEMENT ASSOCIATES

85

TIME FOR A POLL

Which of the following statement(s) is/are most accurate about infants exposed to opioids?

- A. Infants born of mothers on substance use disorder treatment with Buprenorphine or Methadone, for more than 6 weeks during the pregnancy rarely have symptoms of neonatal abstinence syndrome (NAS).
- B. The modified Finnegan score is the gold standard for monitoring infants with NAS.
- C. Mothers on substance use disorder treatment with medications should never breast feed their infants.
- D. Cannabis use causes fewer short and long-term effects on exposed infants than do opioids.
- E. A significant % of opioid exposed infants with NAS can be treated without pharmacotherapy.

© 2025 Health Management Associates, Inc. All Rights Reserved.

HEALTH MANAGEMENT ASSOCIATES

86

NAS is a post-birth drug withdrawal syndrome characterized by:
CNS irritability
Autonomic hyperreactivity
GI dysfunction



Photo Source: J.R. Rouse on Unsplash

NEONATAL ABSTINENCE SYNDROME (NAS): HOSPITAL CARE

- » NAS may not be recognized (occurs in 50-80% of exposed infants)
- » Goals
 - » Optimize growth and development
 - » Minimize negative outcomes
 - » Support secure attachment and post-discharge
 - » Opportunity for health and wellbeing
 - » Reduce lengths of stay and treatment
- » Having a protocol for identification and management is critical
- » Historic approaches to management are giving way to new paradigms

© 2025 Health Management Associates, Inc. All Rights Reserved.

HEALTH MANAGEMENT ASSOCIATES


87

CHANGING PARADIGMS OF CARE FOR NEONATES WITH NAS

Eat - ≥ 1 oz or full breast-feeding session

Sleep - ≥ 1 hour between feeds

Console – Cease crying within 10 min. of being consoled



Picture from Admin of Children and Families.

Grossman MR, et al. Pediatrics. 2017;139(6):e20163360

HEALTH MANAGEMENT ASSOCIATES

88

CHANGING PARADIGMS OF CARE FOR NEONATES WITH NAS

- » **Special ward setting** (non-ICU)
- » **Staffing** - dedicated, trained
- » **Mom's Roles** – assessments
- » **Improved communication**
- » **Comprehensive care**

Prenatal
Consultation



Inpatient Observation &
NAS Treatment while
Rooming In



Appropriate Neuro-
developmental + Primary
Care Follow-Up and
Support

Source: Czyski A. Family Care Support Services, Women and Infants Hosp, RI

© 2020 Health Management Associates, Inc. All Rights Reserved.

HEALTH MANAGEMENT ASSOCIATES

89

STANDARDIZED NON-PHARMACOLOGIC CARE BUNDLE

- » Support and coaching for parents (consoling support interventions)
- » Proactive skin protection
- » Environmental Accommodations

- Maternal presence and Rooming-in
- Dim lights
- Reduced NICU admission
- Reduced/coordinated interventions
- Reduction in white noise/sound (location)
- Limit visitors

© 2020 Health Management Associates, Inc. All Rights Reserved.

HEALTH MANAGEMENT ASSOCIATES

90

STANDARDIZED NON-PHARMACOLOGIC CARE BUNDLE CONT.

- » Swaddling
- » Cuddler program
- » Breastfeeding promotion/On demand feeds
- » Non-nutritive sucking
- » Establishing policies and procedures
 - » Non-pharmacologic interventions
 - » As needed (PRN) vs. scheduled Morphine
 - » Guidelines for assessment and monitoring
 - » Methadone and adjunctive therapies
 - » Rapid medication weaning protocol

Outcomes realized:

- Better engaged, more confident parents
- Reduced use and absolute dosage of medication
- Reduced length of stay
- Reduced overall costs of care

© 2020 Health Management Associates, Inc. All Rights Reserved.

HEALTH MANAGEMENT ASSOCIATES


91

PLANS OF SAFE CARE

Plan of Safe Care is a **formalized plan established by the medical care provider** with the primary caregiver of an infant born with, and identified as being affected by, substance abuse or withdrawal symptoms resulting from prenatal drug exposure or a fetal alcohol spectrum disorder **to address the immediate needs of the affected infant** as well as the ongoing treatment needs of the affected infant and the health and substance use disorder **treatment needs of the affected family or caregiver.**



© 2020 Health Management Associates, Inc. All Rights Reserved.



EDUCATE STAFF ABOUT NAS AND EMERGING PRACTICES

Identification, evaluation, and treatment

- » Clinical providers and staff with strong foundation of knowledge can educate and support families
- » Positive interactions with families of newborns with NAS contribute to better outcomes and reduced LOS
- » Provider and staff interactions with families should be supportive and non-judgmental
- » Families can play valuable role in care, including mothers being encouraged to breastfeed if on stable substance use disorder treatment with medications



Photo Source: Microsoft Stock Images

© 2020 Health Management Associates, Inc. All Rights Reserved.

HEALTH MANAGEMENT ASSOCIATES

94

OPIOIDS and NAS

When reporting on mothers, babies, and substance use

LANGUAGE MATTERS



I am not an addict.
I was exposed to substances in utero. I am not addicted. Addiction is a set of behaviors associated with having a Substance Use Disorder (SUD).



I was exposed to opioids.
While I was in the womb my mother and I shared a blood supply. I was exposed to the medications and substances she used. I may have become physiologically dependent on some of those substances.



NAS is a temporary and treatable condition.
There are evidence-based pharmacological and non-pharmacological treatments for Neonatal Abstinence Syndrome.



Photo Source: Microsoft Stock Images
Language Matters Information Sheet [nationalperinatal.org](#)

HEALTH MANAGEMENT ASSOCIATES

95

EMPOWERING MESSAGES TO PARTNERS

“On the inpatient unit, we explained that our first-line and most important treatment would center around measures to comfort the infant and that these should be performed by a family member. Parents were told that they were the treatment of their infants and must be present as much as possible. Nurses and physicians focused on supporting and coaching parents on the care of their infants.”

Grossman MR et al. An Initiative to Improve the Quality of Care of Infants with Neonatal Abstinence Syndrome. Pediatrics. 2017;139(6):e20163360

© 2020 Health Management Associates, Inc. All Rights Reserved.

HEALTH MANAGEMENT ASSOCIATES

96

BREASTFEEDING AND PARENTAL SUD AND HIV

97

BENEFITS OF BREASTFEEDING

Breastfeeding reduces the risk of:

- Respiratory infections and otitis media
- Gastrointestinal infections
- Sudden infant death syndrome
- Protection against allergic disease
- Celiac disease, inflammatory bowel disease
- Obesity, diabetes (types 1 and 2)
- Adverse neurodevelopmental outcomes

- Maternal benefits: reduced risk of breast and ovarian cancer
- Maternal bonding/decreased risk of abuse
- Breastfed infants less likely to require pharmacological intervention for NAS
- Reduced symptoms of NAS
- Shorter length of stay for NAS
- Shorter duration of pharmacologic treatment when needed for NAS

© 2023 Health Management Associates, Inc. All Rights Reserved.

HEALTH MANAGEMENT ASSOCIATES

98

CONTRAINDICATIONS TO BREASTFEEDING

- » Medical contraindications in infant (e.g., galactosemia +/- phenylketonuria [PKU])
- » Specific Maternal infections
 - ❖ HIV*
 - ❖ Brucellosis (untreated)
 - ❖ Cracked nipples in women with HepB/C**
 - ❖ COVID-19***
 - ❖ Human T-lymphocyte virus (HTLV) I or II
 - ❖ Active, untreated tuberculosis (TB)***
 - ❖ Active herpes simplex virus (HSV) lesions (including Varicella) on nipple/breast**
- » Women with SUD (including cannabis) – not stable in treatment

* Updated guidelines encourage informed consent, without actively discouraging breastfeeding

** Pump and dump

*** Pump but avoid close contact

© 2023 Health Management Associates, Inc. All Rights Reserved.

HEALTH MANAGEMENT ASSOCIATES

99

BREASTFEEDING GUIDANCE FOR PEOPLE WITH HIV – NIH AND CDC, 2023

- » Mothers who have questions about breastfeeding or who want to breastfeed should receive patient-centered, evidence-based information and counseling on infant feeding options, including ways to reduce the risk of HIV transmission through breast milk including:
 - Replacement feeding with properly prepared formula or pasteurized donor human milk from a milk bank eliminates the risk of postnatal HIV transmission to the infant.
 - Achieving and maintaining viral suppression through ART during pregnancy, delivery, and postpartum decreases risk of transmission through breastfeeding to less than 1%, but not zero.
- » If mothers choose to breastfeed, providers should emphasize the importance of adherence to ART.
- » Mothers with HIV who choose to breastfeed should receive close follow-up.
- » Healthcare providers are encouraged to consult the National Perinatal HIV/AIDS Hotline (1-888-448-8765) if they have questions regarding mothers with HIV who want to breastfeed.

SOURCE: NIH Recommendations for ART During Pregnancy and Interventions to reduce Perinatal HIV Transmission. Jan. 2023 <https://clinicalinfo.hiv.gov/en/guidelines/perinatal/whats-new>

© 2023 Health Management Associates, Inc. All Rights Reserved.

HEALTH MANAGEMENT ASSOCIATES

100

WHAT ABOUT BREASTFEEDING AND SUBSTANCE USE DISORDER TREATMENT WITH MEDICATIONS?

- » Methadone (3%) and Buprenorphine (2.4%) pass thru breastmilk in clinically insignificant amounts
 - » Encourage breastfeeding (especially during NAS)
- » Limited information about naltrexone and breastfeeding
 - » Limited transfer into breastmilk (0.86%)
- » Information on long term effects of substance use disorder treatment with medications exposure is still unclear
- » Benefits outweigh the risks
- » Communication and "informed consent"
 - » Benefits: Mothers should know the benefits of breastfeeding and of taking meds while breastfeeding
 - » Risks: Considerations for breastfeeding while on any Medications (especially other psychotropic medications)
 - » Risks: Mothers should know contraindications and relative contraindications
 - » Risks: Mothers should know risk of relapse and risky behaviors if not on medications

Sachs et al. (2013); <https://www.ncbi.nlm.nih.gov/books/NBK501922>

© 2023 Health Management Associates, Inc. All Rights Reserved.

HEALTH MANAGEMENT ASSOCIATES

101

FACTORS THAT INFLUENCE INFANT FEEDING DECISIONS AMONG PERSONS ON SUBSTANCE USE DISORDER TREATMENT WITH MEDICATIONS

- » Social stigma surrounding substance use disorder treatment with medications
- » Information and misinformation from healthcare personnel
 - » Mixed messages from providers
 - » Overt or implicit messages from nursing and other support staff
- » Court or Child Protective Services "orders" to refrain from breastfeeding
- » Feedback and Information from peers



© 2023 Health Management Associates, Inc. All Rights Reserved.

HEALTH MANAGEMENT ASSOCIATES

102

SAMPLE SCRIPT FOR ADDRESSING MARIJUANA USE AND BREASTFEEDING SANTA CLARA VALLEY MEDICAL CENTER

Importance of highlighting the benefits of breastfeeding and education of families, context is in caring for the mother and baby as a whole...

Marijuana script excerpts

Marijuana, also known as "weed" or "pot" is now legal in California for adults over 21. But this doesn't mean it's safe for pregnant or breastfeeding moms or babies. THC in marijuana gets into breast milk and may affect your baby's brain and development...

Secondhand marijuana smoke is also bad for your baby. Marijuana smoke has many of the same chemicals as tobacco smoke. Some of these chemicals may cause cancer or Sudden Infant Death Syndrome (SIDS). Don't allow anyone to smoke anything in your home or around your baby...

If you choose to smoke, it is really important to have someone who is not under the influence watching your baby. And be sure to keep marijuana, including edibles, out of reach of children...

Given the concerns about possible effects on your baby's brain and development, we recommend not smoking marijuana or using marijuana edibles while you are breastfeeding.

© 2023 Health Management Associates, Inc. All Rights Reserved.

HEALTH MANAGEMENT ASSOCIATES

103

WHICH OF THE FOLLOWING STATEMENT(S) IS/ARE MOST ACCURATE ABOUT INFANTS EXPOSED TO OPIOIDS? – THE ANSWER

- A. Infants born of mothers on substance use disorder treatment with medications, such as Buprenorphine or Methadone, for more than 6 weeks during the pregnancy are rarely born with symptoms of neonatal abstinence syndrome (NAS).
- B. The modified Finnegan score is the gold standard for monitoring infants with NAS.
- C. Mothers on substance use disorder treatment with medications should never breast feed their infants.
- D. Cannabis use causes fewer short and long-term effects on exposed infants than do opioids.
- E. **A significant % of opioid exposed infants with NAS can be treated without pharmacotherapy.**

© 2023 Health Management Associates, Inc. All Rights Reserved.

HEALTH MANAGEMENT ASSOCIATES

104



RESOURCES

- » **NAS Toolkit – 39 best practices, guidelines and protocols on perinatal SUD**
nastoolkit.org
 - » Breastfeeding: Best Practice 9
 - » NAS: Best Practices 16-24
 - » Outcomes of exposed infants: Best Practices 28-33
 - » Neurobiology of SUD: Best Practice 7, 8, 10, 13, 14, 37
- » **CA SUD Consultation line (UCSF):**
<https://nccc.ucsf.edu/clinician-consultation/substance-use-management/california-substance-use-line/>
- » **Minnesota Women's Recovery Services**
mn.gov/dhs/recovery
- » **SAMHSA: SAMHSA's National Helpline**
<https://www.samhsa.gov/find-help/national-helpline>

Photo Source : MattSmart on Unsplash

HEALTH MANAGEMENT ASSOCIATES 105

QUESTIONS?

106

REFERENCES: PERINATAL HIV/AIDS

- » ACOG Labor and Delivery Management of Women with Human Immunodeficiency Virus Infection. Committee Opinion Number 751, September 2018. <https://www.acog.org/-/media/project/acog/clinical/files/committee-opinion/articles/2018/09/labor-and-delivery-management-of-women-with-hiv-infection.pdf>
- » AVERT – Global Info and Education on HIV and AIDS. <https://www.avert.org/professionals/hiv-programming/prevention/prevention-mother-child>
- » CDC <https://www.cdc.gov/hiv/group/gender/pregnantwomen/index.html>
- » Chi BH, Bolton-Moore C, Holmes CB. Prevention of mother-to-child HIV transmission within the continuum of maternal, newborn, and child health services. Curr Opin HIV AIDS. 2013 Sep;8(5):498-503. doi: 10.1097/COH.0b013e32833777a. PMID: 23872611; PMCID: PMC4049298. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4049298/pdf/nihms-562223.pdf>
- » Kahler C et al. Is breastfeeding an equisafe option in effectively treated HIV-infected mothers in a high-income setting? Swiss Medical Weekly. 148:w14648, 2018. <https://www.ch/article/doi/smw.2018.14648>
- » Kellerman SE, Ahmed S, Feeley-Sumner T, Jay J, Kim M, Phelps BR, Sugandhi N, Schouten E, Tolle M, Tsouris F; Child Survival Working Group of the Interagency Task Team on the Prevention and Treatment of HIV Infection in Pregnant Women, Mothers and Children. Beyond prevention of mother-to-child transmission: keeping HIV-exposed and HIV-positive children healthy and alive. AIDS. 2013 Nov;27 Suppl 20(2):S225-33. doi: 10.1097/QAD.000000000000107. PMID: 24361632; PMCID: PMC4087192. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4087192/pdf/nihms507455.pdf>
- » NIH <https://hivinfo.nih.gov/understanding-hiv/fact-sheets/preventing-mother-child-transmission-hiv>
- » Paintsil E, Andiman WA. Update on successes and challenges regarding mother-to-child transmission of HIV. Curr Opin Pediatr. 2009 Feb;21(1):94-101. doi: 10.1097/MOP.0b013e32831ec353. PMID: 19242245; PMCID: PMC2650837. Panel on Antiretroviral Therapy and Medical Management of Children Living with HIV. Guidelines for the Use of Antiretroviral Agents in Pediatric HIV Infection. Available at <https://clinicalinfo.hiv.gov/sites/default/files/inline-files/pediatricguidelines.pdf>. Accessed August 24, 2021.
- » Panel on Treatment of Pregnant Women with HIV Infection and Prevention of Perinatal Transmission. Recommendations for Use of Antiviral Drugs in Transmission in the United States. Available at https://clinicalinfo.hiv.gov/sites/default/files/guidelines/documents/Perinatal_GL.pdf. Accessed August 24, 2021.
- » UNAIDS. Confronting Inequalities: Lessons for Pandemic Responses from 40 Years of AIDS. The UNAIDS Global AIDS Update[2021].
- » Ross EJ, Williams RS, Viamonte M, Reynolds JM, Duncan DT, Paul RH, Carrico AW. Overamped: Stimulant Use and HIV Pathogenesis. Curr HIV/AIDS Rep. 2023 Dec;20(6):321-332. doi: 10.1007/s11904-023-00672-y. Epub 2023 Nov 16. PMID: 37971597.
- » Waitt C et al. Does U=U for breastfeeding mothers and infants? Breastfeeding by mothers on effective treatment for HIV in high-income settings. The Lancet HIV, advance online publication, 27 June 2018.

© 2023 Health Management Associates, Inc. All Rights Reserved.

HEALTH MANAGEMENT ASSOCIATES

107

REFERENCES: PERINATAL OUTCOMES

- » Bada HS, Bann CM, Whitaker TM, et al. Protective factors can mitigate behavior problems after prenatal cocaine and other drug exposures [published correction appears in Pediatrics. 2013;132(1):175]. Pediatrics. 2012;130(6).
- » Bakhireva LN, Holbrook BD, Shrestha S. Association between prenatal opioid exposure, neonatal opioid withdrawal syndrome, and neurodevelopmental and behavioral outcomes at 5-8 months of age. Early Hum Dev. 2019;128:69–76
- » Behnke M, Smith VC and The American Academy of Pediatrics Committee on Substance Abuse and Committee on the Fetus and Newborn. Technical Report. Prenatal Substance Abuse: Short and Long Term Effects on the Exposed Fetus. PEDIATRICS Volume 131, Number 3, March 2013
- » Brogly SB, Saia KA, Walley AY, Du HM, Sebastiani P. Prenatal buprenorphine versus methadone exposure and neonatal outcomes: systematic review and meta-analysis. Am J Epidemiol. 2014;180(7):673–686
- » Brown MS, Hayes MJ, Thornton LM. Methadone versus morphine for treatment of neonatal abstinence syndrome: a prospective randomized clinical trial. J Perinatol 2015; 35:278-83.
- » Burke S, Beckwith AM. Morphine versus methadone treatment for neonatal withdrawal and impact on early infant development. Global Pediatric Health. 2017;4:2333794X17721128
- » Conradt E, Crowell SE, Lester BM. Early life stress and environmental influences on the neurodevelopment of children with prenatal opioid exposure. Neurobiology Stress. 2018; 9:48–54
- » Grossman MR, Berkowitz AK, Osborn RR, Xu Y, Esserman DE, Shapiro ED, Bizzarro MJ. An Initiative to Improve the Quality of Care of Infants With Neonatal Abstinence Syndrome Pediatrics. 2017;139(6):e20163360
- » Kaltenbach K, O'Grady KE, Heil SH, et al. Prenatal exposure to methadone or buprenorphine: early childhood developmental outcomes. Drug Alcohol Depend. 2018;185:40–49
- » Kuppala VS, Tabangin M, HabermanB, Steichen J, Yoltan K. Current state of high-risk infant follow-up care in the United States: Results of a national survey of academic follow-up programs. Journal of Perinatology (2012) 32, 293–298
- » Larson JJ, Graham DL, Singer LT, Beckwith AM, Terplan M, Davis JM, Martinez J, Bada HS. Cognitive and Behavioral Impact on Children Exposed to Opioids During Pregnancy. Pediatrics 2019;144
- » Logan BA, Brown MS, Hayes MJ. Neonatal abstinence syndrome: treatment and pediatric outcomes. Clinical Obstetrics Gynecology. 2013;56(1):186–192

HEALTH MANAGEMENT ASSOCIATES

108

REFERENCES: PERINATAL OUTCOMES (CONT.)

- » Azagba, S., Manziane, L., Shan, L. et al. Trends in smoking during pregnancy by socioeconomic characteristics in the United States, 2010–2017. *BMC Pregnancy Childbirth* 20, 52 (2020).
- » Czysniak A. Personal correspondence, Women and Infants Hospital, Brown University, Warren Alpert School of Medicine
- » Gangopadhyaya, A. et al Urban Institute, (2018) Neonatal Abstinence Syndrome and Maternal Access to Treatment for Opioid Use Disorder in California Counties.
- » Gunn et al. Prenatal exposure to cannabis and maternal and child health outcomes: a systematic review and meta-analysis. *BMJ Open* 2016; 6:e009986.
- » Hirai AH, Ko JY, Owens PL, Stocks C, Patrick SW. Neonatal Abstinence Syndrome and Maternal Opioid-Related Diagnoses in the US, 2010-2017. *JAMA*. 2021;325(2):146–155. doi:10.1001/jama.2020.24991
- » May PA, Chambers CD, Kalberg WO, et al. Prevalence of Fetal Alcohol Spectrum Disorders in 4 US Communities. *JAMA*. 2018;319(5):474–482. doi:10.1001/jama.2017.21896
- » Nygaard E, Moe V, Slinning K, Walhovd KB. Longitudinal cognitive development of children born to mothers with opioid and polysubstance use. *Pediatric Research*. 2015;78(3):330–335
- » Oei JL, Melhuish E, Uebel H, et al. Neonatal abstinence syndrome and high school performance. *Pediatrics*. 2017;139(2):e20162651.
- » Sherman LJ, Ali MM, Mutter R, Larson J. Mental disorders among children born with neonatal abstinence syndrome. *Psychiatric Services*. 2019;70(2):151
- » Shonkoff JP, Gamer AS, The American Academy of Pediatrics Committee on Psychosocial Aspects of Child and Family Health, Committee on Early Childhood, Adoption and Dependent Care, and Section on Developmental and Behavioral Pediatrics, the Lifelong Effects of Early Childhood Adversity and Toxic Stress. *PEDIATRICS* Volume 129, Number 1, January 2012
- » Wachman EM, Hayes MJ, Brown MS, et al. Association of OPRM1 and COMT single-nucleotide polymorphisms with hospital length of stay and treatment of neonatal abstinence syndrome. *JAMA*. 2013;309(17):1821–1827
- » [https://www.cdc.gov/nchs/products/databriefs/db305.htm#:~:text=Key%20findings,Data%20from%20the&text=In%202016%2C%207.2%25%20of%20women,25%E2%80%9329%20\(8.2%25\).](https://www.cdc.gov/nchs/products/databriefs/db305.htm#:~:text=Key%20findings,Data%20from%20the&text=In%202016%2C%207.2%25%20of%20women,25%E2%80%9329%20(8.2%25).)
- » [https://doi.org/10.1186/s12884-020-2748-y.](https://doi.org/10.1186/s12884-020-2748-y)
- » [https://www.cdc.gov/nccd/dd/fasdd/data.html.](https://www.cdc.gov/nccd/dd/fasdd/data.html)

HEALTH MANAGEMENT ASSOCIATES

109

REFERENCES

- » Albertsen, K. et al. Alcohol Consumption during Pregnancy and the Risk of Preterm Delivery, *American Journal of Epidemiology*, Volume 159, Issue 2, 15 January 2004, 155–161, <https://doi.org/10.1093/aje/kwh034>
- » Virji SK. The relationship between alcohol consumption during pregnancy and infant birthweight. An epidemiologic study. *Acta Obstet Gynecol Scand*. 1991;70(4-5):303-8. doi: 10.3109/00016349109007877. PMID: 1746254
- » <https://www.nih.gov/news-events/news-releases/tobacco-drug-use-pregnancy-can-double-risk-stillbirth>

RESOURCES

The Clearinghouses for Evidence-based Practices

- » The California Evidence-based Clearinghouse for Child Welfare. <https://www.cebc4cw.org/>
- » Title IV-E Prevention and Services Clearinghouse. <https://preventionservices.abtsites.com/>
- » Home Visiting
- » Maternal Infant and Early Childhood Home Visiting. <https://mchb.hrsa.gov/maternal-child-health-initiatives/home-visiting-overview>
- » California Home Visiting Program. <https://www.cdph.ca.gov/Programs/CFH/DMCAH/CHVP/Pages/default.aspx>
- » Evidence-based Practices and Resource Center (formerly National Center for Evidence-based Practices). <https://www.samhsa.gov/ebp-resource-center>
- » Child Welfare Information Gateway. Strengthen Families and Education to Prevent Maltreatment. <https://www.childwelfare.gov/pubpdfs/parented.pdf>

CDC Opioid Prescribing Guidelines <https://www.cdc.gov/opioids/providers/prescribing/index.html>

HEALTH MANAGEMENT ASSOCIATES

110

REFERENCES: BREASTFEEDING

- » American Academy of Pediatrics Section on Breastfeeding Policy Statement on Breastfeeding and the Use of Human Milk, and the Transfer of Drugs and Other Therapeutics in Human Breast Milk and more. <https://www.aap.org/en-us/advocacy-and-policy/aap-health-initiatives/Breastfeeding/Pages/AAP-Policy-on-Breastfeeding.aspx>
- » Association of Women's Health Obstetrical and Neonatal Nurses (AWHONN) Practice Brief #4. [https://nwhjournal.org/article/S1751-4851\(16\)30207-0/abstract](https://nwhjournal.org/article/S1751-4851(16)30207-0/abstract)
- » Drugs and Lactation Database (LactMed) <https://www.ncbi.nlm.nih.gov/books/NBK501922>
- » The Impact of Breastfeeding on the Health Outcomes for Infants Diagnosed with Neonatal Abstinence Syndrome: A Review *CUREUS* 2018 Jul; 19(7): e3061
- » Reece-Stremtan, S. The Academy for Breastfeeding Medicine Clinical Protocol #21: Guidelines for Breastfeeding and Substance Use or Substance Use Disorder 2015. *Breastfeeding Medicine*; 10,3. Revised 2015.
- » Sachs HC; Committee On Drugs. The transfer of drugs and therapeutics into human breast milk: an update on selected topics. *Pediatrics*. 2013 Sep;132(3):e796-809. doi: 10.1542/peds.2013-1985. Epub 2013 Aug 26. PMID: 23979084.
- » SAMHSA Has a compendium of recommendations and guidelines in their publication, "Clinical Guidance for Treating Pregnant and Parenting Women with OUD and Their Infants," Factsheet #11 addresses breastfeeding. https://www.samhsa.gov/sites/default/files/topics/alcohol_tobacco_drugs/healthy_pregnancy_healthy_baby_flyer.pdf

HEALTH MANAGEMENT ASSOCIATES

111

REFERENCES: WOMEN AND PERINATAL SUD

- » <https://healthresearchfunding.org/2019> <https://healthresearchfunding.org/24-opiate-addiction-recovery-statistics/> 24 Shocking Opiate Addiction Recovery Statistics.
- » <https://pcssnow.org/resources/clinical-tools/>
- » Isemann B, Meinen-Derr J, Akinbi H . Maternal and neonatal factors impacting response to methadone therapy in infants treated for neonatal abstinence syndrome. *J Perinatol*. 2011;31:25-9.
- » Kaltenbach K, Finnegan LP. Developmental outcome of children born to methadone-maintained women: a review of longitudinal studies. *Neurobehav Toxicol Teratol* 1984; 6:271-5.
- » Kaltenbach K, O'Grady KE, Heil SH, et al. Prenatal exposure to methadone or buprenorphine: early childhood developmental outcomes. *Drug Alcohol Depend*. 2018;185:40–49.
- » Kelly E, Hulse G. A Retrospective Cohort Study of Birth Outcomes in Neonates Exposed to Naltrexone in Utero: A Comparison with Methadone-, Buprenorphine- and Non-opioid-Exposed Neonates. *Drugs*. 2017;77(11):1211–1219. doi:10.1007/s40265-017-0763-8.
- » Kremer KP, Kremer TR. Breastfeeding Is Associated with Decreased Childhood Maltreatment. *Breastfeed Med*. 2018;13(1):18–22.
- » Mascola, M. Opioid Use and Opioid Use Disorder in Pregnancy, Am College of Obstetrics and Gynecology Committee Opinion 711 (2017) in conjunction with American Society of Addiction Medicine.
- » May PA, Chambers CD, Kalberg WO, et al. Prevalence of Fetal Alcohol Spectrum Disorders in 4 US Communities. *JAMA*. 2018;319(5):474–482. doi:10.1001/jama.2017.21896
- » Minozzi S, Amato L, Bellisario C, Ferri M, Davoli M. Maintenance agonist treatments for opiate-dependent pregnant women. *Cochrane Database of Systematic Reviews* 2013, Issue 12. Art. No.: CD006318. DOI: 10.1002/14651858.CD006318.pub3
- » <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6335373/>
- » <https://www.nih.gov/news-events/news-releases/tobacco-drug-use-pregnancy-can-double-risk-stillbirth>

HEALTH MANAGEMENT ASSOCIATES

112

REFERENCES

- » Patrick SW, et al. Increasing incidence and geographic distribution of NAS United States 2009-2012. *Journal of Perinatology* 2015; 35, 650-5.
- » *Principals of Drug Addiction Treatment: A Research Based Guide.* National Institute on Drug Abuse. Ed. NIDA International Program.
- » Pitham UA, Paul JA, Hayes MJ. Opioid dependency in pregnancy and length of stay for neonatal abstinence syndrome. *J Obstet Gynecol Neonatal Nurs.* 2012;41:180-90.
- » Substance Abuse Mental Health Services Administration. Clinical Guidance for Treating Pregnant and Parenting Women with OUD and Their Infants. 2018, p 30
- » Substance Abuse Mental Health Services Administration. Medications to Treat Opioid Use Disorder. Treatment Improvement Protocol (TIP) Series 63, FullDoc. HHS Publication NO (SMA) 18-5063FULLDOC. Rockville, MD: Substance Abuse Mental Health Services Agency, 2018.
- » Substance Abuse and Mental Health Services Administration. Clinical Guidance for Treating Pregnant and Parenting Women With Opioid Use Disorder and Their Infants. HHS Publication No. (SMA) 18-5054. Rockville, MD: Substance Abuse and Mental Health Services Administration, 2018. www.Safeinpregnancy.com
- » Virji SK. The relationship between alcohol consumption during pregnancy and infant birthweight. An epidemiologic study. *Acta Obstet Gynecol Scand.* 1991;70(4-5):303-8. doi: 10.3109/00016349109007877. PMID: 1746254
- » Wakeman S, et al. Comparative effectiveness of different treatment pathways for OUD. *JAMA Open* 3(2):e1920622. 2020
- » Welle-Strand GK, et al. Breastfeeding reduces the need for withdrawal treatment in opioid-exposed infants. *Acta Paediatr.* 2014;102:1060-6.
- » Zedler BK, et al. Buprenorphine compared with methadone to treat pregnant women with opioid use disorder: a systematic review & meta-analysis... *Addiction* 111, 2115-28. 2016

ACCESSING, OBTAINING, AND INTEGRATING SERVICES IN MN

LEARNING OBJECTIVES: ACCESSING, OBTAINING, AND INTEGRATING SERVICES IN MN


Understand and explain the key concepts of whole-person care

Be able to list at least 3 of the basic chemical dependency rules/regulations in Minnesota

Describe the continuum of recovery support services for substance use and HIV treatment in Minnesota and be able to list at least 3 resources for accessing those services

Discuss the importance of linkages, warm handoffs and case management for retention on a recovery path


WHOLE PERSON CARE



The patient centered use of diverse health care resources to deliver the physical, behavioral, emotional, and social services required to improve wholistic health.

WHOLE PERSON CARE

Involves care coordination between primary care, community-based organizations, and behavioral health providers.


© 2020 Health Management Associates, Inc. All Rights Reserved.
HEALTH MANAGEMENT ASSOCIATES

117

CASE MANAGEMENT

Case Management is the tool that health care providers and social service organizations can use to coordinate their efforts.

A case management approach

- » Recognizes that satisfying such basic needs as general health and adequate housing and food when an individual has SUD can be overwhelming
- » SUD symptoms will impair a person's ability to gain access to formalized system of services
- » Should be utilized in dealing with the multiple problems presented by HIV in combination with SUD
- » Promotes teamwork among the various providers
- » Linkages can greatly benefit the client and improve care

© 2020 Health Management Associates, Inc. All Rights Reserved.
HEALTH MANAGEMENT ASSOCIATES

118

CASE MANAGEMENT AND COUNSELING

Counselors should be knowledgeable about the eligibility criteria, duration of service, and amount of assistance for basic financial assistance programs, including welfare, unemployment insurance, disability income, food stamps, and vocational rehabilitation. For specific information on economic assistance available in Minnesota visit the Department of Human Services website: <http://mn.gov/dhs/>.


Photo Source : LinkedIn Sales Solutions on Unsplash
© 2020 Health Management Associates, Inc. All Rights Reserved.
HEALTH MANAGEMENT ASSOCIATES

GROUP DISCUSSION

What successes have you experienced thinking about case management and counseling of your clients?



Use the "raise your hand" feature in Zoom or simply come off mute.

© 2020 Health Management Associates, Inc. All Rights Reserved.
HEALTH MANAGEMENT ASSOCIATES

120

HEALTH CARE COVERAGE

In response to implementation of the Affordable Care Act, Minnesota's health care exchange, **MNsure** has partnered with agencies across the state to offer free enrollment assistance. Certified agents and navigators will be available to answer questions, recommend plan selection and work to help you complete your enrollment.

Whether you seek a competitively priced private health insurance plan or qualify for a public program like Medical Assistance or MinnesotaCare, you can contact an assister agency to schedule an appointment or request walk-in hours.

For more information please visit the MNSURE webpage at <https://www.mnsure.org/>, or contact MNSURE by phone at 1-855-366-7873.

© 2025 Health Management Associates, Inc. All Rights Reserved.
HEALTH MANAGEMENT ASSOCIATES
121

HEALTH CARE COVERAGE

The Ryan White Care Act provides additional coverage for those living with HIV that may be uninsured or under-insured.

For information about Ryan White Programs in Minnesota please visit the Minnesota Department of Human Services webpage:

<https://mn.gov/dhs/people-we-serve/seniors/health-care/hiv-aids/programs-services/>

© 2025 Health Management Associates, Inc. All Rights Reserved.
HEALTH MANAGEMENT ASSOCIATES
122

2024 MINNESOTA STATUTES – SUBSTANCE USE TREATMENT

2024 Minnesota Statutes:

<https://www.revisor.mn.gov/statutes/cite/245G/pdf>

Service Initiation

The license holder must complete an **initial services plan within 24 hours** of the day of service initiation.

The plan must be person-centered and client-specific, address the client's immediate health and safety concerns, and identify the treatment needs of the client to be addressed during the time between the day of service initiation and development of the individual treatment plan.

© 2025 Health Management Associates, Inc. All Rights Reserved.
HEALTH MANAGEMENT ASSOCIATES
123

2024 MINNESOTA STATUTES – SUBSTANCE USE TREATMENT

Comprehensive Assessment and Assessment Summary

A comprehensive assessment of the client's substance use disorder must be administered face-to-face by an alcohol and drug counselor **within five calendar days** from the day of service initiation for a residential program or by the end of the fifth day on which a treatment service is provided in a nonresidential program. The number of days to complete the comprehensive assessment excludes the day of service initiation. If the comprehensive assessment is not completed within the required time frame, the person-centered reason for the delay and the planned completion date must be documented in the client's file.

The comprehensive assessment is complete upon a qualified staff member's dated signature. If the client received a comprehensive assessment that authorized the treatment service, an alcohol and drug counselor may use the comprehensive assessment for requirements of this subdivision but must document a review of the comprehensive assessment and update the comprehensive assessment as clinically necessary to ensure compliance with this subdivision within applicable timelines. **An alcohol and drug counselor must sign and date the comprehensive assessment review and update.**

© 2025 Health Management Associates, Inc. All Rights Reserved.
HEALTH MANAGEMENT ASSOCIATES
124

2024 MINNESOTA STATUTES – SUBSTANCE USE TREATMENT

Individual Treatment Plan

Each client must have a person-centered individual treatment plan developed by an alcohol and drug counselor within **ten days from the day** of service initiation for a residential program, by the end of the tenth day on which a treatment session has been provided from the day of service initiation for a client in a nonresidential program, not to exceed 30 days. Opioid treatment programs must complete the individual treatment plan within 21 days from the day of service initiation

© 2024 Health Management Associates, Inc. All Rights Reserved.

HEALTH MANAGEMENT ASSOCIATES

125

2024 MINNESOTA STATUTES – SUBSTANCE USE TREATMENT

245G.07 Treatment Service: A licensed residential treatment program **must offer the treatment services in clauses (1) to (5) to each client**, unless clinically inappropriate and the justifying clinical rationale is documented. A **nonresidential treatment program must offer all treatment services in clauses (1) to (5)** and document in the individual treatment plan the specific services for which a client has an assessed need and the plan to provide the services:

- (1) **individual and group counseling** to help the client identify and address needs related to substance use and develop strategies to avoid harmful substance use after discharge and to help the client obtain the services necessary to establish a lifestyle free of the harmful effects of substance use disorder;
- (2) **client education strategies** to avoid inappropriate substance use and health problems related to substance use and the necessary lifestyle changes to regain and maintain health. Client education must include information on tuberculosis education on a form approved by the commissioner, the human immunodeficiency virus according to section 245A.19, other sexually transmitted diseases, drug and alcohol use during pregnancy, and hepatitis;

© 2024 Health Management Associates, Inc. All Rights Reserved.

HEALTH MANAGEMENT ASSOCIATES

126

2024 MINNESOTA STATUTES – SUBSTANCE USE TREATMENT

245G.07 Treatment Service

(3) **a service to help the client integrate gains** made during treatment **into daily living** and to reduce the client's reliance on a staff member for support;

(4) a service to address issues related to **co-occurring disorders**, including client education on symptoms of mental illness, the possibility of comorbidity, and the need for continued medication compliance while recovering from substance use disorder. A group must address co-occurring disorders, as needed. When treatment for mental health problems is indicated, the treatment must be integrated into the client's individual treatment plan; and

(5) **treatment coordination provided one-to-one** by an individual who meets the staff qualifications in section **245G.11, subdivision 7**.

© 2024 Health Management Associates, Inc. All Rights Reserved.

HEALTH MANAGEMENT ASSOCIATES

127

TRANSITIONS OF CARE



CONTINUITY OF CARE-CROSS SECTOR TRANSITION

Transitions of care should happen seamlessly throughout the SUD eco-system


- » Emergency Department/Hospital
- » Detox / Sobering Centers
- » Increase/decrease in level of care intensity (residential, intensive outpatient, outpatient)
- » Psychiatric care
- » Primary and specialty care (including ObGyn)
- » Incarceration
 - » Opportunity for in reach into incarcerated settings
 - » Telehealth visits
 - » In person

Photo Source: Mark Duffel on Unsplash

© 2020 Health Management Associates, Inc. All Rights Reserved. HEALTH MANAGEMENT ASSOCIATES 129

TRANSITIONS: WHAT IMMEDIATE NEEDS DO CLIENTS HAVE?

- » Housing
- » Food
- » Insurance
- » Medical and Behavioral Health Care



© 2020 Health Management Associates, Inc. All Rights Reserved. HEALTH MANAGEMENT ASSOCIATES 130

GROUP DISCUSSION

What would make the transition from one point of contact to another more successful?



Use the "raise your hand" feature in Zoom or simply come off mute.

© 2020 Health Management Associates, Inc. All Rights Reserved. HEALTH MANAGEMENT ASSOCIATES 131

TRANSITIONS: WHAT MAKES TRANSITIONS EFFECTIVE?

- » Creating the relationship (engagement) with the individual pre-initiation to inform, support and educate about initiation
- » Begin transition and safety planning immediately
 - » Interim plan - assuming individual can leave at any time for any reason
- » Supporting through initiation, including education about resources, supports and next steps
- » Intentional planning for referral and linkage to resources, including treatment and resources to address social determinants of health (SDOH)
- » Maintaining responsibility for core care coordination roles unless or until this responsibility is intentionally transitioned to another responsible individual with consent of patient

© 2020 Health Management Associates, Inc. All Rights Reserved. HEALTH MANAGEMENT ASSOCIATES 132

WARM HANDOFF: WHAT IT IS AND WHAT IT ISN'T

What is a Warm Handoff?

- A **transition of responsibility** for care coordination
- Conducted **in person** with the patient (and family/supports if applicable) and the transferring and receiving individuals responsible for care coordination
- May, through necessity, be "virtually" in person, but **must minimally include individuals noted above**
- Recommend confirmation of transition – **or the handoff is not complete**

© 2020 Health Management Associates, Inc. All Rights Reserved.

HEALTH MANAGEMENT ASSOCIATES

133

WARM HANDOFF: WHAT IT IS AND WHAT IT ISN'T

What is NOT a Warm Handoff?

- Making a follow up appointment for the patient and telling them the time and place
- Identifying an organization vs. an individual who is accepting responsibility for care coordination

Why is it important? Warm handoffs:

- Engage patients and families as team members (the most important team members)
- Build relationships
- Confirm accuracy of information and build safety checks

© 2020 Health Management Associates, Inc. All Rights Reserved.

HEALTH MANAGEMENT ASSOCIATES

134

RETENTION/REFERRAL WHEN TRANSITIONS ARE DIFFICULT

- » If transition has not been successful, assess why ("5 Whys" approach) it was unsuccessful and plan for how to make it successful to accomplish the transition – ideally with the patient
- » Fundamentally – continuing to demonstrate commitment to the outcome: a successful transition of care

(State the problem) "The transition of this client from the sobering center to outpatient SUD treatment with medications did not happen well.."

Why did this happen?

Why did this happen?

Why did this happen?

Why did this happen?

Why did this happen?

© 2020 Health Management Associates, Inc. All Rights Reserved.

HEALTH MANAGEMENT ASSOCIATES

135

RESOURCES: MINNESOTA AND OTHER

Minnesota Department of Human Services

- » [HIV/AIDS Programs/Services](#)
- » [Alcohol, Drug, and Other Addictions Program Overviews](#)

AIDSLine

- » [AIDSLine Website](#)
- » 612-373-2437
- » aidslines@aliveness.org

United Way 211

- » [211 Website & Resource Directory](#)
- » Call 211 to speak with a Community Resource Specialist

Fast-Tracker Minnesota

- » [Find Treatment Providers](#)

Community Partners Supporting this Work

[Harm Reduction Sisters](#)
[Indigenous Peoples Task Force](#)
[Native American Community Clinic](#)
[Rural AIDS Action Network](#)
[Turning Point](#)
[The Aliveness Project](#)

Additional Training Resources:

[AIDS Education & Training Center Program](#)

© 2020 Health Management Associates, Inc. All Rights Reserved.

HEALTH MANAGEMENT ASSOCIATES

136

VIDEO – PRINCIPLES OF PERINATAL SUBSTANCE USE



<https://vimeo.com/493418296>

© 2020 Health Management Associates, Inc. All Rights Reserved.

HEALTH MANAGEMENT ASSOCIATES

137

NEXT STEPS

Please complete the evaluation for this session that will be sent out after via email (evaluations must be completed for those seeking CEU credits).

Follow-up questions?

Contact Gabriel Velazquez at
gvelazquez@healthmanagement.com

© 2020 Health Management Associates, Inc. All Rights Reserved.

HEALTH MANAGEMENT ASSOCIATES

138

THANK YOU!

GLOSSARY OF TERMS (REVISITED)

- » Sexual orientation – a person's identity in relation to the gender or genders to which they are sexually attracted (straight, gay, lesbian, asexual, bisexual, pansexual)
- » Gender identity and/or expression - internal perception of one's gender; how one identifies or expresses oneself.
 - » Cisgender – a term used to describe a person whose gender identity aligns with those typically associated with the sex assigned to them at birth
 - » Transgender – refers to an individual whose current gender identity and/or expression differs from the sex they were assigned at birth (may have transitioned or be transitioning in how they are living)
 - » Gender Expansive - refers to an individual who expresses identity along the gender spectrum (genderqueer, gender nonconforming, nonbinary, agender, two spirit)
- » Sexual Minority – refers to a group whose sexual identity orientation or practices differ from the majority of and are marginalized by the surrounding society.

SOURCE: Centers for Educational Justice and Community Engagement, UC Berkeley

© 2020 Health Management Associates, Inc. All Rights Reserved.

HEALTH MANAGEMENT ASSOCIATES

140

GLOSSARY OF TERMS (REVISITED)

- » Race - is usually associated with inherited physical, social and biological characteristics. In this context that means race is associated with biology. Institutionalized in a way that has profound consequences (White, African American, American Indian Alaskan Native, Native Hawaiian or Pacific Islander)"
- » Ethnicity - a term used to categorize a group of people with whom you share learned characteristics and identify according to common racial, national tribal, religious, linguistic, or cultural origin or background. (Hispanic, Non-Hispanic Black, Non-Hispanic Black, etc.)

SOURCE: US Office of Management and Budget: Federal Register Vol. 62(210): 58782

GLOSSARY OF TERMS (REVISITED)

- » Health Insurance Portability and Accountability Act (HIPAA) - required the creation of national standards to protect sensitive patient health information (PHI) from being disclosed without the patient's consent and includes a Privacy Rule addressing disclosure of and access to PHI; the Security Rule protects disclosure of and access to electronic PHI (e-PHI) a subset of information covered by the Privacy Rule
- » Code of Federal Regulations, Title 42, Part 2 (42 CFR Part 2) – a complicated set of regulations that strengthen the privacy protections afforded to persons receiving alcohol and substance use treatment (in addition to the more general privacy protections afforded in HIPAA). The regulations restrict the disclosure and use of alcohol and drug patient records which are maintained in connection with any individual or entity that is federally assisted and holds itself out as providing, and provides, alcohol or drug abuse diagnosis, treatment or referral for treatment (42 CFR § 2.11)
- » Family Education Rights Protection Act (FERPA) - protects the privacy of student education records in public or private elementary, secondary, or post-secondary school and any state or local education agency that receives funds under an applicable program of the US Department of Education.

SOURCE: Centers for Disease Control and Prevention; and the Substance Abuse and Mental Health Services Administration

COMMON ACRONYMS (REVISITED)

ASAM- American Society of Addiction Medicine	Correctional Health Care
ART – Antiretroviral therapy	OD – Opioid use disorder
AUD – Alcohol use disorder	PEH – Person(s) experiencing homelessness
BJA- Bureau of Justice Assistance	PEP – Post-exposure prophylaxis
IDU – Injection or intravenous drug use	PrEP – Pre-exposure prophylaxis
MAUD- Medication for alcohol use disorder	PLWH – Person(s) living with HIV
MOUD- Medication for opioid use disorder	PWID – Person(s) who injects drugs
MSM – Men who have sex with men	SAMHSA- Substance Abuse Services Agency
NCCHC- National Commission on	SUD – Substance use disorder